# XCOMP
PERFORMANCE TIRES

## WE DIDN'T INVENT TIRES, WE JUST MAKE THEM BETTER.™

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

ROAD HAZARD FREE WARRANTY

*DETAILED WARRANTIES INSIDE*

SCAN TO VIEW
ALL TIRE LINES

# XCOMP H/P

## HIGH PERFORMANCE COMPOUND

MOTORSPORT-GRADE CAP COMPOUND THAT MAINTAINS GRIP AS THE TIRE TEMPERATURES HEIGHTEN. LARGE CONTACT PATCH REDUCES SLIP UNDER HEAVY ACCELERATION AND HARD CORNERING THUS INCREASING SUSTAINABLE G-FORCES UNDER LOAD.

## SUPERIOR ENGINEERING

FEATURES TWO LAYERS OF POLYESTER CARCASS PROVIDES A STRONG CASING FOR QUICK STEERING RESPONSE AND UNSURPASSED HANDLING PERFORMANCE.

## UNIFORM CONSISTENCY

TWIN INNER GROOVES AND CROSS-PATCH SIPING GENERATES POSITIVE FEEDBACK AND TRACTION DURING INCLEMENT WEATHER BY DISPERSING WATER ON IMPACT.

| TIRE SIZE | OD | SW | TD | LOAD |
|---|---|---|---|---|
| 205/50ZR15 XL 89W | 23.1 | 8.9 | 8 | 1297 |
| 225/45ZR15 SL 87W | 23.0 | 8.4 | 8 | 1201 |
| 225/50ZR15 SL 91W | 23.9 | 9.2 | 8 | 1356 |
| 345/35ZR15 SL 95 | 24.5 | 13.8 | 8 | 1521 |
| 225/50ZR16 SL 92Y | 24.9 | 9.2 | 8 | 1389 |
| 255/50ZR16 SL 99Y | 26.1 | 10.4 | 8 | 1709 |
| 245/40ZR17 XL 95W | 24.7 | 9.8 | 8 | 1521 |
| 255/40ZR17 XL 98W | 25.0 | 10.2 | 8 | 1653 |
| 235/40ZR18 XL 97Y | 25.7 | 9.8 | 9 | 1609 |
| 245/40ZR18 XL 97Y | 25.7 | 9.8 | 9 | 1609 |
| 265/35ZR18 XL 97Y | 25.3 | 10.7 | 9 | 1609 |
| 275/35ZR18 XL 99Y | 25.6 | 10.9 | 9 | 1709 |
| 295/40ZR18 XL 99Y | 27.3 | 10.7 | 9 | 1709 |
| 315/30ZR18 XL 99Y | 25.5 | 12.6 | 9 | 1709 |
| 245/35ZR19 XL 93Y | 25.8 | 9.8 | 10 | 1433 |
| 295/35ZR19 XL 104Y | 27.1 | 11.9 | 10 | 1984 |
| 305/35ZR19 SL 102Y | 27.4 | 12.3 | 10 | 1874 |
| 315/30ZR19 SL 100Y | 26.5 | 12.6 | 10 | 1764 |
| 245/30ZR20 XL 90Y | 25.8 | 9.8 | 10 | 1323 |
| 245/35ZR20 XL 95Y | 26.8 | 9.8 | 10 | 1521 |
| 255/30ZR20 XL 92Y | 26.1 | 10.2 | 10 | 1389 |
| 265/35ZR20 XL 99Y | 27.3 | 10.7 | 10 | 1709 |
| 275/35ZR20 XL 102Y | 27.6 | 10.9 | 10 | 1874 |
| 305/30ZR20 XL 103Y | 27.2 | 12.3 | 10 | 1929 |
| 315/35ZR20 XL 110Y | 28.7 | 12.6 | 10 | 2337 |
| 345/30ZR20 SL 106Y | 28.2 | 13.8 | 10 | 2094 |
| 265/35ZR21 XL 101Y | 28.3 | 10.7 | 10 | 1819 |
| 305/30ZR21 XL 104Y | 28.2 | 12.3 | 10 | 1984 |
| 325/25ZR21 XL 102Y | 27.4 | 13.2 | 10 | 1874 |
| 325/30ZR21 XL 108Y | 28.7 | 13.0 | 10 | 2205 |
| 345/30ZR21 XL 111Y | 29.1 | 13.8 | 10 | 2403 |
| 355/25ZR21 XL 107Y | 28.0 | 14.4 | 10 | 2149 |

## X COMP H/P MAX PERFORMANCE:

| | GOOD \| BETTER \| BEST |
|---|---|
| DRY HANDLING | 5 |
| WET HANDLING | 4.5 |
| TREAD LIFE | 4.5 |
| FUEL EFFICIENCY | 4.5 |
| RIDE QUALITY/ QUIET RIDE | 5 |

*PERFORMANCE RATINGS ARE ON A SCALE OF 1 TO 5 (OPTIMUM) BASED ON 0.5 INCREMENTS. THESE MAY BE COMPARED WITHIN THE X COMP PRODUCT CATAGORIES.

**SIZE RANGE:** 205 - 355
**ASPECT RATIO:** 25 - 50
**RIMS:** 15 - 21
**SPEED INDEX:** W, Y

**UTQG 200 AA A**
* 265/35ZR18 AVAILABLE IN BOTH 200 AA A & 320 AA A

**INNER AREA**
Twin inner grooves and cross patch siping generates positive feedback and traction during inclement weather by dispersing water on impact.

**OUTER AREA**
Large contact patch reduces slip under heavy acceleration and hard cornering thus increasing sustainable g-forces under load.

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

DRY SUPERCARS TRACK USE

# XCOMP H/P AS1

THE LATEST IN ALL-SEASON PERFORMANCE JUST GOT BETTER! THIS NEW ALL-SEASON TIRE IS DESIGNED TO PERFORM AT THE HIGHEST LEVEL IN EVERY CLIMATE CONDITION. IT EXCELS IN WET AND DRY CONDITIONS WITH THE CONFIDENCE TO DRIVE SPIRITLY.

| TIRE SIZE | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 185/65R15 SL | 88H | 24.5 | 7.4 | 10 | 1235 |
| 195/65R15 SL | 91H | 25.0 | 7.9 | 10 | 1356 |
| 205/65R15 SL | 94H | 25.5 | 8.2 | 10 | 1477 |
| 205/55ZR16 SL | 91W | 24.9 | 8.4 | 10 | 1356 |
| 205/60R16 SL | 92H | 25.7 | 8.2 | 10 | 1389 |
| 205/65R16 SL | 95H | 26.5 | 8.2 | 10 | 1521 |
| 215/55ZR16 SL | 93W | 25.3 | 8.9 | 10 | 1433 |
| 215/60R16 SL | 95V | 26.1 | 8.7 | 10 | 1521 |
| 215/65R16 SL | 98H | 27.0 | 8.7 | 10 | 1653 |
| 225/60R16 SL | 98H | 26.6 | 9.0 | 10 | 1653 |
| 205/50ZR17 XL | 93W | 25.1 | 8.4 | 10 | 1433 |
| 215/45ZR17 XL | 91W | 24.7 | 8.4 | 10 | 1356 |
| 215/50R17 XL | 95V | 25.5 | 8.9 | 10 | 1521 |
| 215/55ZR17 XL | 98W | 26.3 | 8.9 | 10 | 1653 |
| 225/45ZR17 XL | 94W | 25.0 | 8.9 | 10 | 1477 |
| 225/50ZR17 XL | 98W | 25.9 | 9.2 | 10 | 1653 |
| 225/55R17 XL | 101V | 26.8 | 9.2 | 10 | 1819 |
| 225/60R17 SL | 99H | 27.6 | 9.0 | 10 | 1709 |
| 225/65R17 SL | 102H | 28.5 | 9.0 | 10 | 1874 |
| 235/45ZR17 XL | 97W | 25.4 | 9.3 | 10 | 1609 |
| 235/50ZR17 SL | 96W | 26.3 | 9.7 | 10 | 1565 |
| 235/55R17 XL | 103V | 27.2 | 9.7 | 10 | 1929 |
| 235/65R17 XL | 108V | 29.1 | 9.5 | 10 | 2205 |
| 245/40ZR17 XL | 95W | 24.7 | 9.8 | 10 | 1521 |
| 225/40ZR18 XL | 92W | 25.1 | 9.1 | 10 | 1389 |
| 225/45ZR18 XL | 95W | 25.9 | 8.9 | 10 | 1521 |
| 225/50ZR18 SL | 95W | 26.9 | 9.2 | 10 | 1521 |
| 235/40ZR18 XL | 95W | 25.4 | 9.5 | 10 | 1521 |
| 235/45ZR18 XL | 98W | 26.3 | 9.3 | 10 | 1653 |
| 235/50ZR18 XL | 101W | 27.3 | 9.7 | 10 | 1819 |
| 235/55ZR18 XL | 104W | 28.5 | 9.7 | 10 | 1984 |
| 245/40ZR18 XL | 97W | 25.7 | 9.8 | 10 | 1609 |
| 245/45ZR18 XL | 100W | 26.7 | 9.6 | 10 | 1764 |
| 225/40ZR19 XL | 93W | 26.1 | 9.1 | 10 | 1433 |
| 225/45ZR19 XL | 96W | 27.0 | 8.9 | 10 | 1565 |
| 225/55R19 SL | 99H | 28.8 | 9.2 | 10 | 1709 |
| 235/40ZR19 XL | 98Y | 26.4 | 9.5 | 10 | 1653 |
| 245/35ZR19 XL | 93W | 25.8 | 9.8 | 10 | 1433 |

## *ASSYMETRIC TREAD DESIGN*

ASYMMETRIC TREAD DESIGN FOR OPTIMAL PERFORMANCE IN BOTH DRY AND WET ROAD CONDITIONS

## *HIGH PERFORMANCE*

OPTIMIZED PERFORMANCE DESIGN: CONFIDENT CORNERING AND EXCELLENT STRAIGHT-LINE STABILITY

## *H/P AS1 RIDE CONTROL*

OUTSTANDING RIDE CONTROL: TREAD DESIGNED FOR STABILITY AND TRACTION IN ALL-WEATHER CONDITIONS WHILE PROVIDING A QUIET RIDE

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

LIMITED 60,000 MILE WARRANTY

ROAD HAZARD FREE WARRANTY

| TIRE SIZE | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 245/40ZR19 XL | 98W | 26.7 | 9.8 | 10 | 1653 |
| 245/45ZR19 XL | 102W | 27.7 | 9.6 | 10 | 1874 |
| 255/35ZR19 XL | 96W | 26.0 | 10.2 | 10 | 1565 |
| 255/45ZR19 XL | 104W | 28.1 | 10.0 | 10 | 1984 |
| 255/50R19 XL | 107V | 29.1 | 10.4 | 10 | 2149 |
| 225/30ZR20 XL | 85W | 25.4 | 9.1 | 10 | 1135 |
| 225/35ZR20 XL | 90W | 26.2 | 9.1 | 10 | 1323 |
| 235/35ZR20 XL | 92Y | 26.5 | 9.5 | 10 | 1389 |
| 245/35ZR20 XL | 95W | 26.8 | 9.8 | 10 | 1521 |
| 245/40ZR20 XL | 99W | 27.7 | 9.8 | 10 | 1709 |
| 245/45ZR20 SL | 99W | 28.7 | 9.6 | 10 | 1709 |
| 245/50R20 SL | 102V | 29.7 | 10.0 | 10 | 1874 |
| 255/35ZR20 XL | 97W | 27.0 | 10.2 | 10 | 1609 |
| 255/40ZR20 XL | 101Y | 28.0 | 10.2 | 10 | 1819 |
| 255/45ZR20 XL | 105W | 29.1 | 10.0 | 10 | 2039 |
| 255/50R20 XL | 109V | 30.1 | 10.4 | 10 | 2271 |
| 265/50R20 XL | 111V | 30.5 | 10.9 | 10 | 2403 |
| 275/30ZR20 XL | 97W | 26.5 | 10.9 | 10 | 1609 |
| 275/35ZR20 XL | 102W | 27.6 | 10.9 | 10 | 1874 |
| 275/40ZR20 XL | 106W | 28.7 | 10.9 | 10 | 2094 |
| 275/55R20 XL | 117V | 31.9 | 11.2 | 10 | 2833 |
| 305/35ZR20 XL | 107Y | 28.4 | 12.3 | 10 | 2149 |
| 315/35ZR20 XL | 110W | 28.7 | 12.6 | 10 | 2337 |
| 235/30ZR22 XL | 90W | 27.6 | 9.5 | 10 | 1323 |
| 245/30ZR22 XL | 92W | 27.8 | 9.8 | 10 | 1389 |
| 255/30ZR22 XL | 95W | 28.1 | 10.2 | 10 | 1521 |
| 265/35ZR22 XL | 102W | 29.3 | 10.7 | 10 | 1874 |
| 265/40R22 XL | 106V | 30.4 | 10.7 | 10 | 2094 |
| 285/45ZR22 XL | 114W | 32.1 | 11.2 | 10 | 2601 |
| 305/40ZR22 XL | 114W | 31.6 | 12.3 | 10 | 2601 |
| 255/30ZR24 XL | 97W | 30.1 | 10.2 | 10 | 1609 |
| 275/25ZR24 XL | 96W | 29.5 | 11.1 | 10 | 1565 |
| 295/35R24 XL | 110V | 32.1 | 11.9 | 10 | 2337 |
| 305/35R24 XL | 112V | 32.4 | 12.3 | 10 | 2469 |
| 275/25ZR26 XL | 98W | 31.4 | 11.1 | 10 | 1653 |
| 295/30ZR26 XL | 107W | 33.0 | 11.9 | 10 | 2149 |
| 305/30R26 XL | 109V | 33.2 | 12.3 | 10 | 2271 |

# XCOMP® H/T ASII

LIGHT TRUCK AND SUV OWNERS CAN NOW HIT THE HIGHWAY WITH CONFIDENCE DURING ALL WEATHER CONDITIONS. THE H/T ASII HAS THE PERFORMANCE AND LONGEVITY TO GET YOU WHERE YOU ARE HEADED SAFELY. THE SUPERB BLEND OF A QUIET RIDE, LONG TREAD LIFE, AND ALL-SEASON PERFORMANCE IS UNMATCHED.

| TIRE SIZE | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 235/75R15 XL | 109T | 28.9 | 9.3 | 11 | 2271 |
| 215/70R16 | 100H | 27.9 | 8.7 | 11 | 1764 |
| 225/70R16 | 103H | 28.4 | 9.0 | 11 | 1929 |
| 235/70R16 | 106T | 29.0 | 9.5 | 11 | 2094 |
| 245/70R16 | 107T | 29.5 | 9.8 | 11 | 2149 |
| 245/75R16 | 111T | 30.5 | 9.8 | 11 | 2403 |
| 255/70R16 | 111T | 30.1 | 10.2 | 11 | 2403 |
| 265/70R16 | 112T | 30.6 | 10.7 | 11 | 2469 |
| 265/75R16 | 116T | 31.7 | 10.5 | 11 | 2756 |
| 215/60R17 | 96H | 27.1 | 8.7 | 11 | 1565 |
| 225/65R17 | 102T | 28.5 | 9.0 | 11 | 1874 |
| 235/65R17 | 104H | 29.1 | 9.5 | 11 | 1984 |
| 245/65R17 | 107H | 29.5 | 9.8 | 11 | 2149 |
| 245/70R17 | 110T | 30.6 | 9.8 | 11 | 2337 |
| 255/65R17 | 110T | 30.1 | 10.2 | 11 | 2337 |
| 255/70R17 | 112T | 31.1 | 10.2 | 11 | 2469 |
| 265/65R17 | 112T | 30.6 | 10.7 | 11 | 2469 |
| 265/70R17 | 115T | 31.7 | 10.7 | 11 | 2679 |
| 225/55R18 | 98V | 27.8 | 9.2 | 11 | 1653 |
| 225/60R18 | 100V | 28.6 | 9.0 | 11 | 1764 |
| 235/55R18 | 100V | 28.2 | 9.7 | 11 | 1764 |
| 235/60R18 | 103H | 29.1 | 9.5 | 11 | 1929 |
| 235/65R18 | 106H | 30.0 | 9.5 | 11 | 2094 |
| 245/60R18 | 105H | 29.6 | 9.8 | 11 | 2039 |
| 255/65R18 | 111H | 31.1 | 10.2 | 11 | 2403 |
| 255/70R18 | 113T | 32.1 | 10.2 | 11 | 2535 |
| 265/60R18 | 110H | 30.5 | 10.7 | 11 | 2337 |
| 265/65R18 | 114T | 31.5 | 10.7 | 11 | 2601 |
| 265/70R18 | 116H | 32.6 | 10.7 | 11 | 2756 |

## *HIGH PERFORMANCE DESIGN*

DESIGNED TO ENHANCE PERFORMANCE FOR A WIDE RANGE OF CUV, SUV, AND LIGHT TRUCKS. LONG TREAD LIKE COMBINED WITH BALANCED ON-ROAD PERFORMANCE

## *DEEP SIPING/GROOVES*

FULL-DEPTH SIPING FOR EXCEPTIONAL ALL-WEATHER TRACTION AND WIDE CIRCUMFERENTIAL GROOVES ALLOWS RAPID WATER EVACUATION PROVIDING EXCELLENT HYDROPLANING RESISTANCE

## *LARGE TREAD BLOCKS*

LARGE TREAD BLOCKS INCREASES THE CONTACT AREA, IMPROVING OVERALL HANDLING AND TREADWEAR

REPLACEMENT 100% FREE WARRANTY · ASSURED 30 DAY SATISFACTION WARRANTY · LIMITED 55,000 MILE WARRANTY · ROAD HAZARD FREE WARRANTY

**60,000 MILEAGE WARRANTY FOR METRIC SIZES*
**55.000 MILEAGE WARRANTY FOR LT SIZES*

| TIRE SIZE | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 275/65R18 | 116H | 32.1 | 11.0 | 11 | 2756 |
| 225/55R19 | 99V | 28.8 | 9.2 | 11 | 1709 |
| 235/45R19 XL | 99V | 27.4 | 9.3 | 11 | 1709 |
| 235/50R19 | 99V | 28.3 | 9.7 | 11 | 1709 |
| 235/55R19 XL | 105V | 29.2 | 9.7 | 11 | 2039 |
| 245/55R19 | 103V | 29.7 | 10.0 | 11 | 1929 |
| 255/55R19 XL | 111V | 30 | 10.4 | 11 | 2403 |
| 255/60R19 | 109H | 31.1 | 10.2 | 11 | 2271 |
| 235/55R20 | 102V | 30.2 | 9.7 | 11 | 1874 |
| 245/50R20 | 102V | 29.7 | 10.0 | 11 | 1874 |
| 255/50R20 XL | 109V | 30.1 | 10.4 | 11 | 2271 |
| 255/55R20 XL | 110V | 31.0 | 10.4 | 11 | 2337 |
| 265/50R20 | 107V | 30.5 | 10.9 | 11 | 2149 |
| 275/50R20 | 109H | 30.9 | 11.2 | 11 | 2271 |
| 275/55R20 XL | 117T | 31.9 | 11.2 | 11 | 2833 |
| 275/60R20 | 115T | 33.0 | 11.0 | 11 | 2679 |
| 285/45R22 XL | 114H | 32.1 | 11.2 | 11 | 2601 |
| LT215/85R16/10 | 115/112S | 30.4 | 8.5 | 14 | 2680/2470 |
| LT225/75R16/10 | 115/112S | 29.3 | 8.8 | 14 | 2680/2470 |
| LT235/85R16/10 | 120/117S | 31.7 | 9.3 | 14 | 3085/2755 |
| LT245/75R16/10 | 120/117S | 30.5 | 9.8 | 14 | 3085/2755 |
| LT265/75R16/10 | 123/120S | 31.7 | 10.5 | 14 | 3415/3085 |
| LT235/80R17/10 | 120/117S | 31.8 | 9.3 | 14 | 3085/2835 |
| LT245/70R17/10 | 119/116S | 30.6 | 9.8 | 14 | 3000/2755 |
| LT245/75R17/10 | 121/118S | 31.5 | 9.8 | 14 | 3195/2910 |
| LT265/70R17/10 | 123/120S | 31.7 | 10.7 | 14 | 3415/3085 |
| LT275/65R18/10 | 123/120S | 32.1 | 11.0 | 14 | 3415/3085 |
| LT275/70R18/10 | 125/122S | 33.2 | 11.0 | 14 | 3640/3305 |
| LT275/65R20/10 | 126/123S | 32.1 | 11.0 | 14 | 3750/3415 |

# XCOMP M/T

### *HIGH PERFORMANCE COMPOUND*

FEATURES IMPROVED WET AND DRY TRACTION AS WELL AS EXCELLENT WEAR AND TEAR RESISTANCE, ESPECIALLY IN HARSH OFF-ROAD CONDITIONS.

### *TREAD BLOCK CORNERS*

CONTOURED CORNERS OF THE INNER RIB BLOCKS GIVE INCREASED DRIVING STABILITY IN CONTROL ON UNPAVED ROAD CONDITIONS. RIB BLOCK DESIGNED FOR EFFECTIVE SELF-CLEANING.

### *SHOULDER STABILITY AND SIDEWALL DESIGN*

AGGRESSIVE TREAD AND SIDEWALL DESIGN ENHANCES TRACTION IN ALL OFF-ROAD CONDITIONS. REINFORCED SHOULDER GROOVES ADD ADDITIONAL PERFORMANCE WITHOUT COMPROMISING TREAD BLOCK STIFFNESS.

| TIRE SIZE/PLY | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 31X10.50R15LT/6 | 109Q | 30.5 | 10.6 | 19 | 2270 |
| 35X12.50R15LT/8 | 118Q | 34.5 | 12.5 | 19 | 2910 |
| LT265/75R16/10 | 123/120Q | 31.7 | 10.5 | 19 | 3415/3085 |
| LT285/75R16/10 | 126/123Q | 32.8 | 11.3 | 19 | 3750/3415 |
| 33X12.50R17LT/10 | 126Q | 32.5 | 12.5 | 20 | 3750 |
| 35X12.50R17LT/10 | 126Q | 34.5 | 12.5 | 20 | 3750 |
| 37X13.50R17LT/10 | 131Q | 36.5 | 13.6 | 20 | 4300 |
| 40X13.50R17LT/10 | 131Q | 39.5 | 13.6 | 20 | 4300 |
| 42X14.50R17LT/6 | 121Q | 41.5 | 14.4 | 20 | 3195 |
| LT265/70R17/10 | 123/120Q | 31.7 | 10.7 | 19 | 3195/2910 |
| LT285/70R17/10 | 121/118Q | 32.8 | 11.5 | 19 | 3195/2910 |
| LT285/75R17/10 | 121/118P | 33.9 | 11.3 | 19 | 3195/2910 |
| LT295/70R17/12 | 128/125P | 33.3 | 11.8 | 19 | 3970/3640 |
| LT315/70R17/12 | 121/118P | 34.4 | 12.7 | 19 | 3195/2910 |
| 33X12.50R18LT/12 | 121Q | 32.5 | 12.5 | 20 | 2910 |
| 35X12.50R18LT/12 | 128Q | 34.5 | 12.5 | 20 | 3970 |
| LT275/70R18/10 | 125/122P | 33.2 | 11.0 | 19 | 3640/3305 |
| LT285/65R18/10 | 125/122Q | 32.6 | 11.5 | 19 | 3640/3305 |
| 33X12.50R20LT/12 | 114Q | 32.5 | 12.5 | 20 | 2600 |
| 35X12.50R20LT/12 | 125Q | 34.5 | 12.5 | 20 | 3640 |
| 37X13.50R20LT/12 | 128Q | 36.5 | 13.6 | 20 | 3970 |
| 40X13.50R20LT/10 | 128Q | 39.5 | 13.6 | 20 | 3970 |
| LT295/55R20/10 | 123/120P | 32.8 | 12.2 | 19 | 3415/3085 |
| LT295/60R20/10 | 126/123P | 33.9 | 11.8 | 19 | 3750/3415 |
| LT295/65R20/10 | 129/126P | 35.1 | 11.8 | 19 | 4080/3750 |
| LT305/55R20/12 | 125/122Q | 33.2 | 12.4 | 19 | 3640/3305 |
| 33X12.50R22LT/12 | 114Q | 32.5 | 12.5 | 20 | 2600 |
| 35X12.50R22LT/12 | 121Q | 34.5 | 12.5 | 20 | 3195 |
| 37X13.50R22LT/12 | 128Q | 36.5 | 13.6 | 20 | 3970 |
| 35X12.50R24LT/10 | 117Q | 34.5 | 12.5 | 20 | 2835 |
| 33X12.50R24LT/12 | 106Q | 32.5 | 12.6 | 20 | 2095 |
| 37X13.50R24LT/12 | 124Q | 36.5 | 13.6 | 20 | 3525 |
| 35X13.50R26LT/10 | 118Q | 34.5 | 13.6 | 20 | 2910 |
| 37X13.50R26LT/10 | 117Q | 36.5 | 13.6 | 20 | 2835 |
| LT305/30R26 XL | 109H | 33.2 | 12.3 | 14 | 2756 |

## *M/T FEATURES AND SIDEWALL DESIGN*

- AGGRESSIVE IS AN UNDERSTATEMENT, THIS TIRE IS TRULY A BEAST!
- MAXIMUM GRIP ON THE SHOULDER AREA OF THE TIRE WHERE IT'S NEEDED MOST!
- OFFERS SUPERIOR OFF-ROAD PERFORMANCE WHILE DELIVERING A SMOOTH, QUIET RIDE.
- COVERED BY U.S. PATENT#: D808.895 S
- M&S RATED

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

ROAD HAZARD FREE WARRANTY

# XCOMP X/T

### *HIGH PERFORMANCE COMPOUND*

FEATURES IMPROVED WET AND DRY TRACTION AS WELL AS EXCELLENT WEAR AND TEAR RESISTANCE, ESPECIALLY ON HARSH OFF-ROAD CONDITIONS.

### *TREAD BLOCK CORNERS*

SHOULDER TREAD BLOCKS DESIGNED SPECIFICALLY FOR NOISE REDUCTION WHILE MAINTAINING SUPERIOR OFF-ROAD PERFORMANCE AND DAILY DRIVING SUPPORT.

### *SHOULDER STABILITY AND SIDEWALL DESIGN*

AGGRESSIVE SIDEWALL FOR ENHANCED PROTECTION AND TRACTION. REINFORCED SHOULDER GROOVES ADD ADDITIONAL PERFORMANCE WITHOUT COMPROMISING TREAD BLOCK STIFFNESS.

| TIRE SIZE/PLY | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| LT265/75R16/10 | 123/120Q | 31.7 | 10.5 | 16 | 3415/3085 |
| 33X12.50R17LT/10 | 126Q | 32.5 | 12.5 | 18 | 3750 |
| 35X12.50R17LT/10 | 126Q | 34.5 | 12.5 | 18 | 3750 |
| 37X12.50R17LT/8 | 124Q | 36.5 | 12.5 | 18 | 3525 |
| 40X13.50R17LT/10 | 131Q | 39.5 | 13.6 | 18 | 4300 |
| LT285/70R17/10 | 121/118Q | 32.8 | 11.5 | 16 | 3195/2910 |
| LT295/70R17/10 | 121/118Q | 33.3 | 11.8 | 16 | 3195/2910 |
| 33X12.50R18LT/12 | 122Q | 32.5 | 12.5 | 18 | 3305 |
| 35X12.50R18LT/12 | 128Q | 34.5 | 12.5 | 18 | 3970 |
| LT275/70R18/10 | 125/122Q | 33.2 | 11.0 | 16 | 3640/3305 |
| LT295/70R18/10 | 129/126Q | 34.3 | 11.8 | 16 | 4080/3750 |
| 33X11.50R20LT/10 | 118Q | 32.5 | 11.4 | 18 | 2910 |
| 33X12.50R20LT/12 | 119Q | 32.5 | 12.5 | 18 | 3000 |
| 35X12.50R20LT/12 | 125Q | 34.5 | 12.5 | 18 | 3640 |
| 37X13.50R20LT/12 | 128Q | 36.5 | 13.6 | 18 | 3970 |
| 40X13.50R20LT/10 | 128Q | 39.5 | 13.6 | 18 | 3970 |
| LT275/65R20/10 | 126/123Q | 34.1 | 11.0 | 16 | 3750/3415 |
| LT285/55R20/10 | 122/119Q | 32.4 | 11.7 | 16 | 3305/3000 |
| LT285/60R20/10 | 125/122Q | 33.5 | 11.5 | 16 | 3640/3305 |
| LT295/55R20/10 | 123/120Q | 33.8 | 12.2 | 16 | 3415/3085 |
| LT305/55R20/12 | 125/122Q | 33.2 | 12.4 | 16 | 3640/3305 |
| 33X12.50R22LT/12 | 114Q | 32.5 | 12.5 | 18 | 2600 |
| 35X12.50R22LT/12 | 121Q | 34.5 | 12.5 | 18 | 3195 |
| 35X12.50R24LT/10 | 117Q | 34.5 | 12.5 | 18 | 2835 |
| 37X13.50R24LT/12 | 124Q | 36.5 | 13.6 | 18 | 3525 |
| LT285/40R24 XL | 112H | 33.0 | 11.4 | 14 | 2469 |
| LT305/30R26 XL | 109H | 33.2 | 12.3 | 14 | 2756 |

## X/T FEATURES AND SIDEWALL DESIGN

- THE ULTIMATE CROSSOVER BETWEEN THE M/T AND A/T
- DELIVERS SUPERIOR DAILY DRIVING PERFORMANCE WHILE MAINTAINING THE AGGRESSIVE LOOK FOR ANY LIGHT TRUCK
- SHOULDER TREAD BLOCKS DESIGNED FOR NOISE REDUCTION AND AN AGGRESSIVE SIDEWALL FOR ENHANCED PROTECTION AND TRACTION
- COVERED BY U.S. PATENT#: D973,576 S
- 100% FREE REPLACEMENT
- 30 DAY SATISFACTION WARRANTY
- FREE ROAD HAZARD PROTECTION
- 45,000 MILE WARRANTY

LIMITED 45,000 MILE WARRANTY

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

ROAD HAZARD FREE WARRANTY

# XCOMP A/T

## HIGH PERFORMANCE COMPOUND

SNOW FLAKE QUALIFIED TREAD FEATURES ENHANCED SIPING AND AN ADVANCED COMPOUND THAT OFFERS EXCELLENT WET AND DRY TRACTION, AS WELL AS CERTIFIED TRACTION IMPROVMENTS ON SNOW AND ICE.

## ANGLED GROOVES AND Z-SHAPED SIPES

THE A/T HAS ANGLED LATERAL AND LONGITUDINAL GROOVE STRUCTURE PROMOTES BETTER DRAINAGE FOR IMPROVED BRAKING AND HANDLING ON WET, SOGGY SURFACES. THE DEEP TWO-STEP SLOTS ON SHOULDER BLOCKS HAVE THE SAME SERVICE LIFE AS THE TREAD.

## SHOULDER STABILITY AND SIDEWALL DESIGN

THE FULLY-WRAPPED SHOULDER HAS A ROUGH VISUAL SENSE AND FUNCTIONALITY PREVENT SHARP CUTS, SCRATCHES, AND IMPACT DAMAGE. IN ADDITION, IT PROVIDES ADDITIONAL TRACTION IN MUDDY AND SNOWY CONDITIONS.

| TIRE SIZE/PLY | LI | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| LT245/75R16/10 | 120/116S | 30.5 | 9.8 | 15 | 3085/2755 |
| LT265/75R16/10 | 123/120R | 31.7 | 10.5 | 15 | 3415/3085 |
| LT285/75R16/10 | 126/123Q | 32.8 | 11.3 | 16 | 3750/3415 |
| 33X12.50R17LT/10 | 126Q | 32.5 | 12.5 | 16 | 3750 |
| 35X12.50R17LT/10 | 126Q | 34.5 | 12.5 | 16 | 3750 |
| 37X13.50R17LT/10 | 131Q | 36.5 | 13.6 | 16 | 4300 |
| 40X13.50R17LT/10 | 131Q | 39.5 | 13.6 | 16 | 4300 |
| LT235/80R17/10 | 120/117R | 31.8 | 9.3 | 15 | 3042/2835 |
| LT245/75R17/10 | 121/118S | 31.5 | 9.8 | 15 | 3195/2910 |
| LT255/80R17/10 | 123/120Q | 33.1 | 10 | 15 | 3415/3085 |
| LT285/75R17/10 | 128/125S | 33.9 | 11.3 | 16 | 3970/3640 |
| LT315/70R17/10 | 121/118S | 34.4 | 12.7 | 16 | 3195/2910 |
| P265/70R17 | 113S | 31.7 | 10.7 | 13 | 2535 |
| LT265/70R17/10 | 123/120S | 31.7 | 10.7 | 16 | 3195/2910 |
| LT285/70R17/10 | 126/123Q | 32.8 | 11.5 | 16 | 3195/2910 |
| 33X12.50R18LT/10 | 118Q | 32.5 | 12.5 | 16 | 2910 |
| 35X12.50R18LT/10 | 123T | 34.5 | 12.5 | 16 | 3415 |
| LT265/65R18/10 | 123/120Q | 31.5 | 10.7 | 15 | 3305/3000 |
| LT265/70R18/10 | 124/121Q | 32.6 | 10.7 | 16 | 3525/3195 |
| LT275/65R18/10 | 123/120Q | 32.1 | 11.0 | 16 | 3415/3085 |
| LT275/70R18/10 | 125/122S | 33.2 | 11.0 | 16 | 3640/3305 |
| LT285/65R18/10 | 125/122S | 32.6 | 11.5 | 16 | 3640/3305 |
| LT295/70R18/10 | 129/126S | 34.3 | 11.8 | 16 | 4080/3750 |
| 33X12.50R20LT/10 | 114Q | 32.5 | 12.5 | 16 | 2600 |
| 35X12.50R20LT/10 | 121T | 34.5 | 12.5 | 16 | 3195 |
| 37X12.50R20LT/10 | 126Q | 36.5 | 12.5 | 16 | 3750 |
| 37X13.50R20LT/10 | 127Q | 36.5 | 13.6 | 16 | 3860 |
| 40X13.50R20LT/10 | 128Q | 39.5 | 13.6 | 16 | 3970 |
| LT265/60R20/10 | 121/118S | 32.5 | 10.7 | 16 | 3195/2910 |
| P275/55R20XL | 117T | 31.9 | 11.2 | 13 | 2835 |
| LT275/55R20/10 | 120/117S | 31.9 | 11.2 | 16 | 3085/2835 |
| LT275/65R20/10 | 126/123S | 34.1 | 11.0 | 15 | 3750/3415 |
| LT285/55R20/10 | 122/119Q | 32.4 | 11.7 | 16 | 3305/3000 |
| LT285/65R20/10 | 127/124Q | 34.6 | 11.5 | 16 | 3860/3525 |
| LT295/65R20/10 | 129/126S | 35.1 | 11.8 | 16 | 4080/3750 |
| LT305/55R20/12 | 125/122Q | 33.2 | 12.4 | 16 | 3640/3305 |
| LT325/60R20/10 | 126/123R | 35.4 | 13.0 | 16 | 3750/3415 |
| P285/45R22XL | 114H | 32.1 | 11.2 | 13 | 2601 |

## A/T FEATURES AND SIDEWALL DESIGN

- THE X COMP A/T DELIVERS THE RELIABILITY AND HIGH PERFORMANCE FOR DAILY DRIVING.
- SUPERIOR ENGINEERING AND CONSTRUCTION GIVES THE A/T THE VERSATILITY TO BE DRIVEN AGGRESSIVELY ON ANY TERRAIN.
- THE A/T IS VERY QUIET WITH A SMOOTH CONTROLLED RIDE, BOTH ON AND OFF ROAD.
- 50,000 MILE WARRANTY (55,000 FOR P METRIC SIZES)
- 3 PEAK SNOW RATED!

LIMITED 50,000 MILE WARRANTY · REPLACEMENT 100% FREE WARRANTY · ASSURED 30 DAY SATISFACTION WARRANTY · ROAD HAZARD FREE WARRANTY

# XCOMP® GOLF X/T

PERFORMANCE GUARANTEED®

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 22X11R12/4 | J | 22.0 | 11.1 | 9 | 640 |
| 23X10R12/4 | J | 23.0 | 10.0 | 9 | 805 |
| 205/35R12/4 | N | 17.7 | 8.3 | 9 | 739 |
| 215/40R12/4 | N | 18.8 | 8.6 | 9 | 739 |
| 215/50R12/4 | N | 20.5 | 8.6 | 9 | 937 |
| 23X10R14/4 | J | 23.0 | 10.0 | 9 | 992 |
| 205/35R14/4 | J | 19.6 | 8.3 | 9 | 853 |
| 23X10R15/4 | J | 23.0 | 10 | 9 | 760 |

- A SUPERIOR BALANCE OF RIDE COMFORT AND HANDLING
- ENGINEERED TO PROTECT TURF: TESTED AND APPROVED!
- STEEL-BELTED RADIAL CONSTRUCTION FOR MAXIMUM HANDLING, DURABILITY, AND SAFETY
- ALL X COMP® GOLF X/T'S COVERED BY U.S. PATENT NO.: D973,576 S
- "TURF FRIENDLY" STAMPING ON SIDEWALL

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

***D.O.T. APPROVED***

***"TURF FRIENDLY" STAMPED ON SIDEWALL***

***OFF ROAD CAPABLE***

# XCOMP GOLF A/T

PERFORMANCE GUARANTEED®

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 18X9.5R10/4 | J | 18.2 | 9.3 | 6 | 780 |
| 20X10R10/4 | J | 20 | 10 | 6 | 1280 |
| 20X10R12/4 | J | 20.4 | 9.3 | 6 | 940 |
| 23X10R12/4 | J | 23 | 10 | 6 | 1050 |
| 20X8.5R14/4 | J | 20 | 8.4 | 6 | 940 |
| 23X10R14/4 | J | 23 | 10 | 6 | 990 |
| 23X10R15/4 | J | 23 | 10 | 6 | 990 |

- THE ULTIMATE TREAD DESIGN WITH DENSER TREAD, MORE SIPING AND ENHANCED GRIP!
- STEEL-BELTED RADIAL CONSTRUCTION FOR MAXIMUM HANDLING AND SAFETY
- ALL TERRAIN TREAD PATTERN
- "TURF FRIENDLY" STAMPING ON SIDEWALL

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

***D.O.T. APPROVED***

***"TURF FRIENDLY" STAMPED ON SIDEWALL***

***OFF ROAD CAPABLE***

# XCOMP® GOLF H/T

PERFORMANCE GUARANTEED®

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 215/40R12/4 | J | 18.8 | 8.6 | 6 | 963 |
| 215/50R12/4 | J | 20.5 | 8.6 | 6 | 937 |
| 215/35R14/4 | J | 19.9 | 8.9 | 6 | 853 |
| 215/50R14/4 | J | 22.5 | 8.9 | 6 | 882 |

- NEW ADVANCED ALL-SEASON TREAD DESIGN FOR CONFIDENT PERFORMANCE IN ALL CONDITIONS
- STEEL-BELTED RADIAL CONSTRUCTION FOR MAXIMUM HANDLING, DURABILITY, AND SAFETY
- ENGINEERED TO PROTECT TURF: TESTED AND APPROVED!
- “TURF FRIENDLY” STAMPING ON SIDEWALL

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

***D.O.T. APPROVED***

***“TURF FRIENDLY” STAMPED ON SIDEWALL***

***OFF ROAD CAPABLE***

# Gladiator GOLF A/P

PERFORMANCE GUARANTEED®

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| 18X8.5R8/4 | F | 17.7 | 8.4 | 7 | 805 |
| 205/50R10/4 | F | 18.1 | 8.1 | 7 | 805 |
| 205/65R10/4 | F | 20.5 | 8.1 | 7 | 695 |
| 215/40R12/4 | F | 18.9 | 8.0 | 7 | 760 |
| 215/50R12/4 | F | 20.9 | 8.5 | 7 | 660 |

- NEW NYLON RADIAL ALL PURPOSE DESIGN
- EXCELLENT BLEND OF PERFORMANCE, DURABILITY, AND VALUE
- ENGINEERED TO PROTECT TURF: TESTED AND APPROVED!
- "TURF FRIENDLY" STAMPING ON SIDEWALL

REPLACEMENT 100% FREE WARRANTY

ASSURED 30 DAY SATISFACTION WARRANTY

***D.O.T. APPROVED***

***"TURF FRIENDLY" STAMPED ON SIDEWALL***

***OFF ROAD CAPABLE***

## X COMP M/T ATR

REPLACEMENT 100% FREE WARRANTY

THE ATR TIRES ARE BUILT FOR ALL ATV/UTV RECREATIONAL VEHICLES. THEY ARE DESIGNED WITH TWO PLY SIDEWALLS FOR MAXIMUM FLEXIBILITY AND CONTACT IN ALL TYPES OF TERRAINS. OUR ATR TIRES ARE RACE PROVEN! CONTOURED CORNERS OF THE INNER RIB BLOCKS GIVE INCREASED DRIVING STABILITY ON UNPAVED ROAD CONDITIONS. RIB BLOCK DESIGNED FOR EFFECTIVE SELF-CLEANING.

## X COMP A/T ATR

REPLACEMENT 100% FREE WARRANTY

THE A/T ATR TIRES ARE BUILT FOR ALL ATV/UTV RECREATIONAL VEHICLES. THE END RESULT IS A UTV TIRE THAT IS STRONG, STABLE, AND EXTREMELY DURABLE. A/T ATR TIRES ARE RACE PROVEN! THE ULTIMATE RACE TIRE, THE A/T ATR HAS AN ANGLED LATERAL AND LONGITUDE GROOVE STUCTURE TO PROMOTE BETTER DRAINAGE FOR IMPROVED BRAKING AND HANDLING ON ALL TERRAINS AND IN ALL WEATHER CONDITIONS. PERFECT FOR BOTH RACING AND TRAIL USE.

## X COMP R/S

REPLACEMENT 100% FREE WARRANTY

THE R/S OFFERS THE LIGHTEST WEIGHT OPTION WITH A STRONG AND DURABLE RACE COMPOUND. THE R/S WAS BUILT SPECIFICALLY FOR UTV RACERS WITH THE FEEDBACK AND TESTING PROVIDED BY OUR X COMP® BRAND AMBASSADOR TEAM. THE X COMP® R/S HAS A STRONG AND DURABLE COMPOUND WITH DECREASED WEIGHT TO GIVE RACERS THE EXTRA COMPETITIVE EDGE.

PERFORMANCE GUARANTEED®

RACE PROVEN TIRES

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| AT28X10R14/10 | N | 28.0 | 10.0 | 20 | 1165 |
| AT30X10R14/10 | N | 30.0 | 10.0 | 20 | 1320 |
| AT32X10R14/10 | N | 32.0 | 10.0 | 20 | 1520 |
| AT32X10R15/10 | N | 32.0 | 10.0 | 20 | 1475 |
| AT35X10R15/10 | N | 34.5 | 10.0 | 20 | 1609 |

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| AT33X10R15/10 | N | 32.5 | 10.0 | 15 | 1521 |
| AT35X10R15/10 | N | 34.5 | 10.0 | 15 | 1609 |

| TIRE SIZE/PLY | SS | OD | SW | TD | LOAD |
|---|---|---|---|---|---|
| AT33X9.50R15/10 | N | 32.5 | 9.4 | 15 | 1521 |

PERFORMANCE GUARANTEED®

**RACE PROVEN TIRES**

XCOMPTIRES.COM XCOMP_TIRES 800.944.8414

## 100% FREE REPLACEMENT WARRANTY

American Pacific Industries, Inc (API) hereby warrants every new Gladiator (X Comp) tire for workmanship and material related conditions for the life of the original tread of a new tire less 2/32". The life of the original usable tread ends when the tire tread has worn down with only 2/32" remaining as measured In the fastest wearing groove, at which point the tire is considered to be fully worn out. API will refund the cost of a replacement Gladiator X Comp tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. All Exclusions listed below void this 100% Free Replacement Warranty. Conditions and coverage are subject to change at any time and without notice.

A) The Gladiator X Comp tire must be replaced with a comparable new Gladiator X Comp tire by an authorized Gladiator dealer. Copy of invoice will be required.

B) 100% free replacement applies to new first quality tires. Blemished tires, retreads and road hazard tires are specifically excluded (see Road Hazard Warranty below),

C) Adjustments on ride complaints or out of round tires are excluded from this warranty if they are worn past 2/32" from the original usable tread of the new tire.

## ROAD HAZARD

Every applicable Gladiator X Comp tire that has been irreparably damaged due to a normal road hazard condition (e.g. irreparable cut, puncture, snag, bruise, or impact break) within the first 25% of the original tread depth and within 2 years from the date of purchase will be replaced free of charge with an equivalent Gladiator X Comp tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. To be eligible, you must present your original invoice showing date of purchase. All Exclusions listed below void this Road Hazard Warranty. Conditions and coverage are subject to change at any time and without notice. ALL ROAD HAZARD CLAIMS MUST BE SERVICED THROUGH YOUR AUTHORIZED GLADIATOR X COMP DEALER. Applicable X Comp Lines with Road Hazard Warranty: X Comp M/T, X Comp X/T and X Comp A/T, X Comp H/T ASII, X Comp H/P AS1

## CUSTOMER SATISFACTION

All API passenger and X Comp tires are covered by the 30 Day "Satisfaction Assured" trial period. If, for any reason, other than an excluded condition listed in the respective tire's Standard Warranty, you are not satisfied with your new set of tires within 30 days of date of purchase - or the first 2/32nds of tread wear as measured in the fastest wearing groove (whichever comes first) - you may exchange all or any one of them for the same number of the same design or similar design API manufactured tires. Mounting and balancing are free of charge (excluding online orders). Owner pays all applicable taxes. If you wish to exchange for another set of API manufactured tires that have a higher cost, you must pay the upgrade from the original purchase price, including shipping and all applicable taxes. If you wish to exchange for another set of tires, which is at a lower cost, you will receive a credit for the difference in cost.

This Satisfaction Assurance guarantee only applies to the original new set of manufactured passenger and X Comp tires purchased and not to the replacement tires under this guarantee.

**Administration of the Assured Satisfaction Warranty**

Within the 30 days from the date of purchase or the first 2/32nds tread wear as measured in the fastest wearing groove, you must return your tires to the authorized API brand tire dealer where you purchased your tires. You must present the original sales receipt and proof-of-purchase. Reason for dissatisfaction must be explained to the dealer (i.e., appearance, ride, handling, etc.) and noted on the adjustment claim form.

## REPAIRS AND RETREADING: RATING CHANGES AND CAUTIONS

A) Repaired, retreaded or altered Gladiator tire with “Speed Rating(s)” no longer retain their “Speed Rating”.

B) If the aforementioned tire(s) is repairable, see the recommended repair procedures used by the tire dealer(s) for repairing tubeless passenger car radial tires as detailed and illustrated in the RMA puncture repair procedures.

C) Repairs must be restricted to the tread area inside a half inch of the sidewall of the tire.

D) Do not repair any punctures that are larger than 1/4” in diameter.

## EXCLUSIONS

A) All Gladiator X Comp warranties are limited to the original purchaser and the original vehicle on which they are mounted, and are not assignable to subsequent purchasers or vehicles.

B) The warranties listed above are applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the United States and Canada are not covered by these warranties.

C) The following is not covered by the warranties listed above:

1) Tire branded or marked “Non-Adjustable” (N/A) or “Blemished” (Blem), or previously adjusted.
2) Failure, damage or irregular wear due to:
    a) fire, accident or vandalism;
    b) mechanical condition of vehicle, including improper alignment, improper inflation, wheel imbalance, faulty shocks or brakes;
    c) misapplication of tire; or
    d) alteration of the tire, addition of foreign material, transfers from one vehicle to another or any previous damages and/or repairs.
3) Cost of mounting and balance service.
4) Loss of time or use, inconvenience, or any incidental or consequential damages except as prohibited by law.
5) Adjustment on out-of-balance or out-of-round tire is allowed only during the first 2/32” of the original tread as measured In the fastest wearing groove. A set of all four (4) tires from the same vehicle claimed for out-of-round will not be accepted.

D) Any Gladiator X Comp tire produced five (5) years from date of manufacture as determined by the DOT/Serial number are not covered under the warranties listed above.

## OWNER’S OBLIGATIONS

In order to be eligible for Gladiator X Comp Limited Warranty service, the dealer/owner must:

A) At the time of purchase, the tires must be properly installed, correct air pressure set and the wheels balanced.
Every 5,000 miles the tires must be rotated, proper air pressures set and the wheel alignment checked.

B) Any tire to be adjusted must be presented to an authorized Gladiator dealer.

C) Present proof of purchase to the satisfaction of the dealer.

D) Complete and sign a Gladiator Warranty Claim Form which is available at any authorized dealer.

E) Pay the amount due on a new tire, less the amount of credit, including taxes, mounting and balancing charges or cost of other services ordered.

## DISCLAIMER

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of Gladiator Tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein. This warranty only applies the 48 contiguous continental United States, Alaska, Hawaii, District of Columbia and Canada.

XCOMP
PERFORMANCE TIRES

SCAN TO VIEW
ALL TIRE LINES

XCOMPTIRES.COM | @XCOMP_TIRES | 800.944.8414